L Number	Hits	Search Text	DB	Time stamp
-	7	Scales.in. and pipeline and prolog$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 16:50
-	4	(Scales.in. and pipeline and prolog$4) and (@ad<=19991230 or @rlad<=19991230)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 16:52
-	6	Tirumalai.in. and pipeline and register$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 16:52
-	5	(Tirumalai.in. and pipeline and register$4) and (@ad<=19991230 or @rlad<=19991230)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 16:52
-	2	((Tirumalai.in. and pipeline and register$4) and (@ad<=19991230 or @rlad<=19991230)) and (speculat$4 or predicat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 17:18
-	40	(Mahlke.in. or Rau.in.) and (pipelin$4 or loop same schedul$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 16:54
-	18	((Mahlke.in. or Rau.in.) and (pipelin$4 or loop same schedul$4)) and (@ad<=19991230 or @rlad<=19991230) and (speculat$4 or predicat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 17:07
-	35	((Mahlke.in. or Rau.in.) and (pipelin$4 or loop same schedul$4)) and (@ad<=19991230 or @rlad<=19991230) and (pipelin$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 17:04
-	18	(((Mahlke.in. or Rau.in.) and (pipelin$4 or loop same schedul$4)) and (@ad<=19991230 or @rlad<=19991230) and (pipelin$4)) and (((Mahlke.in. or Rau.in.) and (pipelin$4 or loop same schedul$4)) and (@ad<=19991230 or @rlad<=19991230) and (speculat$4 or predicat$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 17:05
-	88	(pipeline same loop) and (schedul$4 or optimi$5) and (temporar$2 adj2 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 17:07
-	20	((pipeline same loop) and (schedul$4 or optimi$5) and (temporar$2 adj2 register)) and (@ad<=19991230 or @rlad<=19991230) and (speculat$4 or predicat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 18:11
-	2	(((pipeline same loop) and (schedul$4 or optimi$5) and (temporar$2 adj2 register)) and (@ad<=19991230 or @rlad<=19991230) and (speculat$4 or predicat$4)) and (pipelin$4 near7 loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 17:15
-	18	("4044338" | "4453212" | "4807115" | "4858105" | "4928223" | "5053631" | "5058048" | "5129067" | "5136697" | "5226126" | "5226130" | "5465379" | "5471626" | "5532856" | "5568622" | "5598546" | "5636216" | "5696955").PN.	USPAT	2003/10/11 17:16

-	18	("4044338" | "4453212" | "4807115" | "4858105" | "4928223" | "5053631" | "5058048" | "5129067" | "5136697" | "5226126" | "5226130" | "5465379" | "5471626" | "5532856" | "5568622" | "5598546" | "5636216" | "5696955").PN.	USPAT	2003/10/11 17:16
-	2	(("4044338" | "4453212" | "4807115" | "4858105" | "4928223" | "5053631" | "5058048" | "5129067" | "5136697" | "5226126" | "5226130" | "5465379" | "5471626" | "5532856" | "5568622" | "5598546" | "5636216" | "5696955").PN.) and (temporar$2 adj2 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 17:17
-	5	((Tirumalai.in. and pipeline and register$4) and (@ad<=19991230 or @rlad<=19991230)) and (pipelin$4 near7 loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 17:18
-	2	(((Tirumalai.in. and pipeline and register$4) and (@ad<=19991230 or @rlad<=19991230)) and (pipelin$4 near7 loop)) and (speculat$4 or predicat$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 17:19
-	2	((US-6341370-$ or US-6178499-$ or US-6240509-$ or US-5930492-$ or US-5835776-$ or US-6289443-$).did.) and speculat$4 and (temporary near4 register) and (pipeline or (schedul$4 same loop))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 18:09
-	34	(register same allocat$4) and (pipelin$4 same loop) and (predicat$ or speculat$4) and (temporar$3 near8 ((stor$4 and copy$4) or record$4 or register)) and (reduc$4 or optimi$6)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 18:11
-	30	((register same allocat$4) and (pipelin$4 same loop) and (predicat$ or speculat$4) and (temporar$3 near8 ((stor$4 and copy$4) or record$4 or register)) and (reduc$4 or optimi$6)) and (@ad<=19991230 or @rlad<=19991230)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 18:11
-	28	(((register same allocat$4) and (pipelin$4 same loop) and (predicat$ or speculat$4) and (temporar$3 near8 ((stor$4 and copy$4) or record$4 or register)) and (reduc$4 or optimi$6)) and (@ad<=19991230 or @rlad<=19991230)) not ((US-6341370-$ or US-6178499-$ or US-6240509-$ or US-5930492-$ or US-5835776-$ or US-6289443-$).did.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 18:12
-	26	((((register same allocat$4) and (pipelin$4 same loop) and (predicat$ or speculat$4) and (temporar$3 near8 ((stor$4 and copy$4) or record$4 or register)) and (reduc$4 or optimi$6)) and (@ad<=19991230 or @rlad<=19991230)) not ((US-6341370-$ or US-6178499-$ or US-6240509-$ or US-5930492-$ or US-5835776-$ or US-6289443-$).did.)) not Granston.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/11 18:13
-	11	(((((register same allocat$4) and (pipelin$4 same loop) and (predicat$ or speculat$4) and (temporar$3 near8 ((stor$4 and copy$4) or record$4 or register)) and (reduc$4 or optimi$6)) and (@ad<=19991230 or @rlad<=19991230)) not ((US-6341370-$ or US-6178499-$ or US-6240509-$ or US-5930492-$ or US-5835776-$ or US-6289443-$).did.)) not Granston.in.) and (speculat$4 same temporar$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 14:10

-	8	(US-6289443-$ or US-6178499-$ or US-6341370-$ or US-5835776-$ or US-6240509-$ or US-5930492-$ or US-6032252-$ or US-5898865-$).did.	USPAT	2003/10/14 14:10
-	4	((US-6289443-$ or US-6178499-$ or US-6341370-$ or US-5835776-$ or US-6240509-$ or US-5930492-$ or US-6032252-$ or US-5898865-$).did.) and ((((register same allocat$4) and (pipelin$4 same loop) and (predicat$ or speculat$4) and (temporar$3 near8 ((stor$4 and copy$4) or record$4 or register)) and (reduc$4 or optimi$6)) and (@ad<=19991230 or @rlad<=19991230)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/14 14:10
-	8	(US-6289443-$ or US-6178499-$ or US-6341370-$ or US-5835776-$ or US-6240509-$ or US-5930492-$ or US-6032252-$ or US-5898865-$).did.	USPAT	2003/10/15 10:34
-	5	((US-6289443-$ or US-6178499-$ or US-6341370-$ or US-5835776-$ or US-6240509-$ or US-5930492-$ or US-6032252-$ or US-5898865-$).did.) and temporary	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:02
-	3805	((717/151-161) or (712/216-228)).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:05
-	1	(((717/151-161) or (712/216-228)).CCLS.) and (temporary adj2 register) and ("trip count") and (speculat$4 or predicat$4) and (pipelin$4 same loop)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 11:07
-	2	("6426746").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 15:37
-	4	(((modulo or unroll$4) adj4 (loop or kernel)) same (speculat$4 or speculatively)) and (schedul$4.ab. or schedul$4.clm.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/17 13:01

Google

Web Images Groups News Froogle[New!] more »

Modulo and Schlansker and Tirumalai Search Advanced Search Preferences

The "AND" operator is unnecessary -- we include all search terms by default. [details]

Web Results **1** - **10** of about **356** for **Modulo and Schlansker and Tirumalai**. (**0.16** seconds)

Code generation schema for **modulo** scheduled loops
... States. 18 Rau, BR, **Schlansker**, MS, and **Tirumalai**, PP Code generation schemas for **modulo** scheduled DO-loops and Laboratories, 1992. 19 ...
portal.acm.org/ citation.cfm?id=145795&dl=ACM&coll=portal&CFID=11111111&CFTOKEN=2222222 - Similar pages

Register allocation for software pipelined loops
... 17 Rau, BR, et al. Code Generation Schema for **Modulo** Scheduled DO-Loops and WHILE-Loops. ... 19 P. **Tirumalai** , M. Lee , M. **Schlansker**, Parallelization of loops ...
portal.acm.org/ citation.cfm?id=143141&dl=ACM&coll=portal&CFID=11111111&CFTOKEN=2222222 - Similar pages
[More results from portal.acm.org]

Citations: Code Generation Schema for **Modulo** Scheduled Loops - Rau ...
B. Ramakrishna Rau, Michael S. **Schlansker**, PP **Tirumalai**, Code Generation Schema for **Modulo** Scheduled Loops, pp 158--169. 41 citations found. ...
citeseer.ist.psu.edu/context/15222/0 - 40k - Cached - Similar pages

Citations: Parallelization of loops with exits on pipelined ...
... P. **Tirumalai**, M. Lee, and M. **Schlansker**, "Parallelization of loops ... **Modulo** Scheduling With Isomorphic Control Transformations - Warter (1994) (17 citations ...
citeseer.ist.psu.edu/context/1407/0 - 53k - Cached - Similar pages
[More results from citeseer.ist.psu.edu]

Tech Report: HPL-92-47: Code Generation Schema for
Code Generation Schema for **Modulo** Scheduled DO-Loops and WHILE-Loops. Rau, B. Ramakrishna.; **Schlansker**, Michael S.; **Tirumalai**, Partha P. ...
www.hpl.hp.com/techreports/92/HPL-92-47.html - 5k - Cached - Similar pages

[PDF] Reduced Code Size **Modulo** Scheduling in the Absence of Hardware ...
File Format: PDF/Adobe Acrobat - View as HTML
Reduced Code Size **Modulo** Scheduling in the Absence of Hardware Support Josep Llosa 1 , Stefan M. Freudenberger 2 HP Laboratories Cambridge HPL-2002-239 August ...
www.hpl.hp.com/techreports/2002/HPL-2002-239.pdf - Similar pages
[More results from www.hpl.hp.com]

[PDF] Trimaran ILP Reading List By Topical Category
File Format: PDF/Adobe Acrobat - View as HTML
... Page 6. 27. BR Rau, MS **Schlansker** and PP **Tirumalai**. Code Generation Schemas for **Modulo** Scheduled DO-Loops and WHILE-Loops HPL-92-47. ...
www.trimaran.org/docs/trimaran_reading_list.pdf - Similar pages

[PS] Trimaran ILP Reading List By Topical Category This is not intended ...
File Format: Adobe PostScript - View as Text
... 74. BR Rau. Iterative **modulo** scheduling. International Journal of Parallel Processing24, 1 (February 1996), 3-64. 75. BR Rau, MS **Schlansker** and PP **Tirumalai**. ...
www.trimaran.org/docs/trimaran_reading_list.ps - Similar pages
[More results from www.trimaran.org]

DBLP: Michael S. **Schlansker**
... 4, EE, B. Ramakrishna Rau, Michael S. **Schlansker**, Parthasarathy P. **Tirumalai**: Code generation schema for **modulo** scheduled loops. MICRO 1992: 158-169. ...
www.informatik.uni-trier.de/~ley/db/indices/ a-tree/s/Schlansker:Michael_S=.html - 12k - Cached - Similar pages

ECE 411 / CA 718-Q HOME PAGE
... [ps, pdf]. **Modulo** Scheduling. * BR Rau, MS **Schlansker**, and PP **Tirumalai**. "Code generation schema for **modulo** scheduled loops." In Proceedings of the 25th Annual ...
www.crhc.uiuc.edu/ece411/sp02/ - 16k - Cached - Similar pages

Gooooooooogle ▶
Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

Modulo and Schlansker and Tirumal Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

CiteSeer Find: Modulo scheduling and speculation Documents Citations

Searching for **modulo scheduling and speculation**.
Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP
10 documents found. **Order: number of citations.**

Modulo Scheduling of Loops in Control-Intensive Non-Numeric.. - Lavery, Hwu (1996) (Correct) (5 citations)
[17] Daniel M. Lavery and Wen-mei W. Hwu. **Modulo scheduling** of loops in control-intensive non-numeric
cardit.et.tudelft.nl/~heco/lit/lavery96.pdf

Enhancing Instruction Level Parallelism Through.. - Bringmann (1995) (Correct) (5 citations)
For example, Tirumalai et al. showed that **modulo scheduling** of while loops de iii pends on
Level Parallelism Through Compilercontrolled **Speculation** By Roger Alexander Bringmann B.s.University
Level Parallelism Through Compilercontrolled **Speculation** Roger Alexander Bringmann, Ph.d. Department Of
www.crhc.uiuc.edu/IMPACT/ftp/report/phd-thesis-roger-bringmann.ps.Z

Two-level Hierarchical Register File Organization.. - Zalamea, Llosa.. (2000) (Correct) (4 citations)
from various consecutive iterations. **Modulo scheduling** [8, 22] is a class of software pipelining
breaking the data dependences (such as data **speculation**) or breaking the control dependence flow
control dependence flow (predication, control **speculation**) increase even more the register
people.ac.upc.es/eduard/papers/paper_c18.ps.gz

Split-Path Enhanced Pipeline Scheduling for Loops with Control.. - Shim, Moon (1998) (Correct) (2 citations)
overlap of more than one execu tion path. **Modulo scheduling** simply transforms them into straightline
overlaps between different paths and full **speculation** [6]Unfortunately, EPS may penalize the
way to recover the original machine state when **speculation** turns out to be wrong. In addition, some
altair.snu.ac.kr/~ssm/publication/shim.ps

Software and Hardware Techniques to Optimize.. - Zalamea, Llosa.. (2001) (Correct) (1 citation)
and delays to move data around. Keywords-**Modulo scheduling**, Register requirements, Spill code,
breaking the data dependences (such as data **speculation**) or breaking the control dependence flow
control dependence flow (predication, control **speculation**) increase even more the register
people.ac.upc.es/eduard/papers/paper_c20.ps.gz

Loop Shifting and Compaction for the High-Level.. - Gupta, Gupta, Dutt.. (2004) (Correct)
compiler community [7, 8, 9, 10, 15, 16]**Modulo scheduling** and its variants [7, 9] create a schedule
way (e.g.reverse [4] and conditional **speculation** in [5]in order to gain improvement in
a code motion transformation called conditional **speculation** [5]Note that, when shifting operations out
www.cecs.uci.edu/technical_report/TR03-14.pdf

Ia-64 Code Generation - Vikram Rao North (Correct)
such **speculation**, predication, and **modulo scheduling**, which are also supported the IA-64
. 3.2.1 **Speculation** .3.2.2
Tinker implements number ILP optimizations such **speculation**, predication, and **modulo scheduling**, which are
www.tinker.ncsu.edu/theses/vsrao_ms.ps

Memory Profiling For Directing Data Speculative Optimizations And .. - Connors (1997) (Correct)
[13]and software pipelining using **modulo scheduling** [14]In addition, a scheduling technique
Tracking System :12 2.4 The MCB Data **Speculation** Approach :13
34 4.1 Profile Data Conflict (PDC) Rate and Data **Speculation** :35 4.2 AddressBased Conflict
www.crhc.uiuc.edu/IMPACT/ftp/report/ms-thesis-daniel-connors.ps.Z

Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP

CiteSeer Find: Modulo scheduling and speculation Documents Citations

Searching for **modulo scheduling and speculation**.
Restrict to: Header Title Order by: Expected citations Hubs Usage Date Try: Amazon B&N Google (RI) Google (Web) CSB DBLP
10 documents found. **Order: number of citations.**

Modulo Scheduling of Loops in Control-Intensive Non-Numeric.. - Lavery, Hwu (1996) (Correct) (5 citations)
[17] Daniel M. Lavery and Wen-mei W. Hwu. **Modulo scheduling** of loops in control-intensive non-numeric
cardit.et.tudelft.nl/~heco/lit/lavery96.pdf

Enhancing Instruction Level Parallelism Through.. - Bringmann (1995) (Correct) (5 citations)
For example, Tirumalai et al. showed that **modulo scheduling** of while loops de iii pends on
Level Parallelism Through Compilercontrolled **Speculation** By Roger Alexander Bringmann B.s.University
Level Parallelism Through Compilercontrolled **Speculation** Roger Alexander Bringmann, Ph.d. Department Of
www.crhc.uiuc.edu/IMPACT/ftp/report/phd-thesis-roger-bringmann.ps.Z

Two-level Hierarchical Register File Organization.. - Zalamea, Llosa.. (2000) (Correct) (4 citations)
from various consecutive iterations. **Modulo scheduling** [8, 22] is a class of software pipelining
breaking the data dependences (such as data **speculation**) or breaking the control dependence flow
control dependence flow (predication, control **speculation**) increase even more the register
people.ac.upc.es/eduard/papers/paper_c18.ps.gz

Split-Path Enhanced Pipeline Scheduling for Loops with Control.. - Shim, Moon (1998) (Correct) (2 citations)
overlap of more than one execu tion path. **Modulo scheduling** simply transforms them into straightline
overlaps between different paths and full **speculation** [6]Unfortunately, EPS may penalize the
way to recover the original machine state when **speculation** turns out to be wrong. In addition, some
altair.snu.ac.kr/~ssm/publication/shim.ps

Software and Hardware Techniques to Optimize.. - Zalamea, Llosa.. (2001) (Correct) (1 citation)
and delays to move data around. Keywords-**Modulo scheduling**, Register requirements, Spill code,
breaking the data dependences (such as data **speculation**) or breaking the control dependence flow
control dependence flow (predication, control **speculation**) increase even more the register
people.ac.upc.es/eduard/papers/paper_c20.ps.gz

Loop Shifting and Compaction for the High-Level.. - Gupta, Gupta, Dutt.. (2004) (Correct)
compiler community [7, 8, 9, 10, 15, 16]**Modulo scheduling** and its variants [7, 9] create a schedule
way (e.g.reverse [4] and conditional **speculation** in [5]in order to gain improvement in
a code motion transformation called conditional **speculation** [5]Note that, when shifting operations out
www.cecs.uci.edu/technical_report/TR03-14.pdf

Ia-64 Code Generation - Vikram Rao North (Correct)
such **speculation**, predication, and **modulo scheduling**, which are also supported the IA-64
. 3.2.1 **Speculation** .3.2.2
Tinker implements number ILP optimizations such **speculation**, predication, and **modulo scheduling**, which are
www.tinker.ncsu.edu/theses/vsrao_ms.ps

Memory Profiling For Directing Data Speculative Optimizations And ... - Connors (1997) (Correct)
[13]and software pipelining using **modulo scheduling** [14]In addition, a scheduling technique
Tracking System :12 2.4 The MCB Data **Speculation** Approach :13
34 4.1 Profile Data Conflict (PDC) Rate and Data **Speculation** :35 4.2 AddressBased Conflict
www.crhc.uiuc.edu/IMPACT/ftp/report/ms-thesis-daniel-connors.ps.Z

Try your query at: Amazon Barnes & Noble Google (RI) Google (Web) CSB DBLP